



ARC Aquarius Reader

ARC Aquarius Reader



The ARC Aquarius Reader is a multipurpose active RFID reader compatible with all ARC active RFID tags and readers. It is suitable for standalone use with i.e. a laptop or as part of a networked reader system.

The USB interface and windows based computer with software enables the reader to act as an easy wireless tool for configuring active tags and readers in the system.

The reader can be combined with supporting wireless routers as to channel RFID, location and zoning information through standard Wi-Fi networks or the internet to a central server.

The reader can be powered from an external power source or can be powered from USB when relay functionality is not required. The reader automatically and uninterrupted switchover to the external supply if both power supplies are present.

The reader allows for wireless control of an external device connected to its relay, i.e. a gate, light or to send a signal to a third party system.

The device includes an acoustic sounder for signalling events and can be enabled or disabled as required.

The reader is enclosed in a dust, moisture and water resistant enclosure and is therefore also suitable for outdoor use.

Key Features

- Bi-directional communication to all ARC active RFID tags and readers.
- Facilitates wireless configuration of tags and readers using i.e. a laptop.
- Easy to install. Drivers supplied.
- Channel through RFID tags information and location information for i.e. zoning.
- Easy Wi-Fi and Internet connectivity through Mikrotik routers.
- Automatic uninterrupted power supply switchover.
- Acoustic sounder.
- Relay.
- Dust, moisture and water resistant.